

Attachment 1

Attachment 1: Property Descriptions												
Bldg. Ref. No.	Building Name	Street Number	Street	Owner	Data Source/ Manager	Floor Space Sq. Ft.	Perimeter Sq. Ft.	Year Built	Year Renovated	Primary Heating	Secondary Heating	Irrigation in Water Use?
1	William J. Lee Memorial Town Hall	1	Lafayette Street	Department of Public Works	Richard Stinson	23,586	8,329	1871	1999	Natural Gas		Yes
2	Greenwood Fire Station	5	Oak Street	Department of Public Works	Richard Stinson	8,830	8,830	1962		Natural Gas		No
3	Old Public Works Building	35	North Avenue	Department of Public Works	Richard Stinson	11,649	10,200	1937		Natural Gas	Waste Oil	No
4	New Public Works Building	35	North Avenue	Department of Public Works	Richard Stinson	22,400	22,400	1972		Natural Gas		No
5	Old Warren School	30	Converse Street	Department of Public Works	Richard Stinson	27,006	9,002	1908	2001	Natural Gas		Yes
6	Public Safety Building and Fire Station	1	Union Street	Department of Public Works	Richard Stinson	43,867	17,801	2003		Natural Gas		No
7	Old Forest Glade Cemetery Building		Lowell Street	Department of Public Works	Richard Stinson	900	900	1900		Natural Gas		No
8	New Forest Glade Cemetery Building		Lowell Street	Department of Public Works	Richard Stinson	1,300	1,300	1940		Natural Gas		No
9	Dolbeare School	340	Lowell Street	Wakefield Public Schools	Peter Evangelista	71,970	57,705	1999		Natural Gas		No
10	Doyle School	11	Paul Avenue	Department of Public Works	Peter Evangelista	16,729	16,729	1965		#2 Fuel Oil		No
11	Galvin Middle School	525	Main Street	Wakefield Public Schools	Peter Evangelista	166,000	113,963	1954	1972	#2 Fuel Oil		No
12	Greenwood School	1030	Main Street	Wakefield Public Schools	Peter Evangelista	40,100	16,510	1900	1923	#2 Fuel Oil	Natural Gas	No
13	Wakefield High School	60	Farm Street	Wakefield Public Schools	Peter Evangelista	260,006	160,200	1960	1972	#4 Fuel Oil		Yes
14	Walton School	40	Western Avenue	Wakefield Public Schools	Peter Evangelista	18,500	18,500	1956		#2 Fuel Oil		Yes
15	Yeuell School	27	Crystal Street	Department of Public Works	Peter Evangelista	14,946	7,200	1965		#2 Fuel Oil		No
16	Woodville School	30	Farm Street	Wakefield Public Schools	Peter Evangelista	65,765	30,000	2003		Natural Gas		No
17	Lincoln School	26	Crescent Street	Wakefield Housing Authority	Richard Stinson	18,241	9,000 est.	1892		Natural Gas		No
18	Lucius Beebe Memorial Library	331	Main Street	Beebe Town Library	Sharon Gilley	22,992	9,200 est.	1922	1997	Natural Gas		Yes
19	American Civic Center Association	467	Main Street	American Civic Center Association	Bob Foley	26,048	13,200 est.	1912		#2 Fuel Oil		No

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

A map of the location of each of these buildings is also available at <http://wakefieldecc.wikidot.com>.

Attachment 2

Attachment 2a: 2006 Annual Energy Use					
Bldg. Ref. No.	Building Name	Electricity Use	Natural Gas Use	Oil Use	Total Energy Use
		kWh	100 CF	Gallons	kBtu
1	William J. Lee Memorial Town Hall	246,646	7,176	-	1,568,732
2	Greenwood Fire Station	32,511	5,672	-	685,534
3	Old Public Works Building	117,866	5,927	-	1,002,682
4	New Public Works Building	110,480	10,354	-	1,425,928
5	Old Warren School	91,680	12,037	-	1,532,252
6	Public Safety Building and Fire Station	589,280	18,533	-	3,888,606
7	Old Forest Glade Cemetery Building	2,764	1,566	-	168,069
8	New Forest Glade Cemetery Building	2,188	2,478	-	258,489
9	Dolbeare School	644,000	15,283	-	3,746,140
10	Doyle School	64,140	-	10,221	1,630,379
11	Galvin Middle School	835,600	4,016	59,771	11,512,800
12	Greenwood School	126,540	9	12,686	2,184,666
13	Wakefield High School	1,819,800	10,161	60,526	15,598,625
14	Walton School	63,600	906	8,326	1,458,624
15	Yeuell School	77,920	-	5,332	1,002,264
16	Woodville School	509,440	15,820	-	3,341,285
17	Lincoln School	172,680	17,525	-	2,364,639
18	Lucius Beebe Memorial Library	404,400	9,530	-	2,345,606
19	American Civic Center Association	64,200	180	7,363	1,254,101

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Oil use data for the Doyle School in 2006 is from 2003; more recent data was not readily available.

Oil use data for the Yeuell School in 2006 is from 2002; more recent data was not readily available.

Attachment 2

Attachment 2b: 2007 Annual Energy Use					
Bldg. Ref. No.	Building Name	Electricity Use	Natural Gas Use	Oil Use	Total Energy Use
		kWh	100 CF	Gallons	kBtu
1	William J. Lee Memorial Town Hall	274,496	7,786	-	1,725,577
2	Greenwood Fire Station	28,431	6,158	-	720,840
3	Old Public Works Building	102,895	6,255	-	984,812
4	New Public Works Building	128,480	10,089	-	1,460,518
5	Old Warren School	86,000	12,078	-	1,517,019
6	Public Safety Building and Fire Station	613,200	22,702	-	4,392,564
7	Old Forest Glade Cemetery Building	2,719	1,464	-	157,583
8	New Forest Glade Cemetery Building	1,963	2,155	-	225,001
9	Dolbeare School	614,080	18,382	-	3,957,952
10	Doyle School	70,980	-	9,354	1,533,995
11	Galvin Middle School	839,300	4,526	69,200	12,879,189
12	Greenwood School	130,380	13	12,742	2,205,910
13	Wakefield High School	1,811,000	3,678	63,295	15,294,247
14	Walton School	63,840	920	7,680	1,371,652
15	Yeuell School	76,160	-	6,891	1,211,547
16	Woodville School	529,120	18,661	-	3,696,246
17	Lincoln School	164,520	17,989	-	2,383,792
18	Lucius Beebe Memorial Library	412,800	8,432	-	2,263,048
19	American Civic Center Association	62,640	149	7,449	1,257,512

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Oil use data for the Doyle School in 2007 is from 2004; more recent data was not readily available.

Oil use data for the Yeuell School in 2007 is from 2003; more recent data was not readily available.

Attachment 3

Attachment 3a: 2006 & 2007 Monthly Energy Use - William J. Lee Memorial Town Hall													
Bldg. Ref. No.	Building Name	Month	Year	Acct 1 Rec 1	Acct 1 Rec 2	Acct 2 Rec 1	Electricity Use	Rec 1	Rec 2	Rec 3	Natural Gas Use	Oil Use	Total Energy Use
				kWh	kWh	kWh	kWh	100 CF	100 CF	100 CF	100 CF	Gallons	kBtu
1	William J. Lee Memorial Town Hall	5	2005		5,423	11,440	16,863	82			82		65,860
		6	2005		7,191	14,880	22,071	160			160		91,536
		7	2005		8,497	19,040	27,537	6			6		94,592
		8	2005		7,488	16,640	24,128	3			3		82,653
		9	2005		7,980	16,960	24,940	38			38		88,970
		10	2005		6,041	12,480	18,521	332			332		96,844
		11	2005		6,698	14,560	21,258	1,230			1,230		197,153
		12	2005		6,322	13,680	20,002	1,485			1,485		218,697
		1	2006		5,780	12,800	18,580	1,186			1,186		183,555
		2	2006		5,864	10,080	15,944	1,022			1,022		157,945
		3	2006		5,900	15,040	20,940	1,311			1,311		204,273
		4	2006		5,302	10,560	15,862	321			321		86,654
		Total	2006	-	78,486	168,160	246,646	7,176	-	-	7,176	-	1,568,732
		5	2006		6,039	12,000	18,039	198			198		81,625
		6	2006		4,682	9,680	14,362	12			12		50,233
		7	2006		8,509	20,160	28,669	4			4		98,252
		8	2006		7,551	15,840	23,391	3			3		80,137
		9	2006		6,359	11,680	18,039	14			14		62,985
		10	2006		6,128	15,040	21,168	136			136		86,023
		11	2006		6,276	9,280	15,556	446			446		98,272
		12	2006		5,155	9,680	14,835	717			717		123,264
		1	2007	8,600	5,155	9,680	23,435	717			717		152,616
		2	2007	13,400	8,569	16,720	38,689	2,192			2,192		354,095
		3	2007	11,000	6,657	13,040	30,697	2,161			2,161		323,678
		4	2007	9,560	6,216	11,840	27,616	1,186			1,186		214,395
		Total	2007	42,560	77,296	154,640	274,496	7,786	-	-	7,786	-	1,725,577

Notes:

An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3b: 2006& 2007 Monthly Energy Use - Greenwood Fire Station													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
2	Greenwood Fire Station	5	2005	2,040			2,040	352			352		42,620
		6	2005	4,178			4,178	134			134		27,834
		7	2005	2,797			2,797	30			30		12,585
		8	2005	3,548			3,548	37			37		15,857
		9	2005	3,721			3,721	48			48		17,562
		10	2005	3,000			3,000	200			200		30,499
		11	2005	2,322			2,322	375			375		45,912
		12	2005	2,238			2,238	1,293			1,293		138,619
		1	2006	2,990			2,990	1,300			1,300		141,895
		2	2006	2,220			2,220	913			913		100,064
		3	2006	1,709			1,709	22,232			561		62,662
		4	2006	1,748			1,748	429			429		49,424
		Total	2006	32,511	-	-	32,511	27,343	-	-	5,672	-	685,534
		5	2006	1,845			1,845	246			246		31,217
		6	2006	1,706			1,706	54			54		11,293
		7	2006	2,797			2,797	30			30		12,585
		8	2006	4,665			4,665	81			81		24,127
		9	2006	2,752			2,752	48			48		14,255
		10	2006	1,350			1,350	289			289		33,883
		11	2006	2,332			2,332	375			375		45,947
		12	2006	1,760			1,760	744			744		81,374
		1	2007	1,760			1,760	744			744		81,374
		2	2007	3,335			3,335	1,410			1,410		154,215
		3	2007	2,283			2,283	1,281			1,281		137,557
		4	2007	1,846			1,846	856			856		93,013
		Total	2007	28,431	-	-	28,431	6,158	-	-	6,158	-	720,840

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3c: 2006 & 2007 Monthly Energy Use - Old Public Works Building													
Bldg. Ref. No.	Building Name	Month	Year	Acct 1 kWh	Acct 2 kWh	Acct 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
3	Old Public Works Building	5	2005	2,536	3,840		6,376	354			354		57,621
		6	2005	3,782	4,400		8,182	103			103		38,359
		7	2005	5,303	5,200		10,503	8			8		36,657
		8	2005	5,021	4,320		9,341	4			4		32,286
		9	2005	4,574	4,480		9,054	7			7		31,610
		10	2005	3,276	5,440		8,716	225			225		52,540
		11	2005	3,627	3,040		6,667	853			853		109,163
		12	2005	8,794	5,600		14,394	1,152			1,152		165,824
		1	2006	8,180	5,760		13,940	991			991		147,966
		2	2006	5,788	4,400		10,188	791			791		114,900
		3	2006	6,194	6,320		12,514	1,136			1,136		157,787
		4	2006	3,911	4,080		7,991	303			303		57,967
		Total	2006	60,986	56,880	-	117,866	5,927	-	-	5,927	-	1,002,682
		5	2006	3,903	4,000		7,903	303			303		57,667
		6	2006	2,983	3,200		6,183	44			44		25,560
		7	2006	5,504	4,960		10,464	6			6		36,321
		8	2006	4,942	4,720		9,662	8			8		33,787
		9	2006	2,850	3,600		6,450	34			34		25,458
		10	2006	2,985	4,080		7,065	303			303		54,807
		11	2006	3,039	3,920		6,959	409			409		65,183
		12	2006	2,954	3,520		6,474	512			512		73,961
		1	2007	6,689	6,720		13,409	1,488			1,488		196,499
		2	2007	6,249	5,040		11,289	1,478			1,478		188,251
		3	2007	5,538	4,000		9,538	1,035			1,035		137,399
		4	2007	4,299	3,200		7,499	635			635		89,920
		Total	2007	51,935	50,960	-	102,895	6,255	-	-	6,255	-	984,812

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3d: 2006 & 2007 Monthly Energy Use - New Public Works Building													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
4	New Public Works Building	5	2005	12,680			12,680	750			750		119,252
		6	2005	14,160			14,160	143			143		62,814
		7	2005	9,680			9,680	46			46		37,698
		8	2005	5,680			5,680	38			38		23,235
		9	2005	5,400			5,400	45			45		22,989
		10	2005	6,840			6,840	134			134		36,919
		11	2005	9,280			9,280	516			516		83,943
		12	2005	9,560			9,560	1,669			1,669		201,698
		1	2006	9,640			9,640	2,057			2,057		241,275
		2	2006	8,400			8,400	1,723			1,723		203,209
		3	2006	11,800			11,800	2,358			2,358		279,139
		4	2006	7,360			7,360	875			875		113,757
		Total	2006	110,480	-	-	110,480	10,354	-	-	10,354	-	1,425,928
		5	2006	11,240			11,240	85			85		46,973
		6	2006	7,280			7,280	31			31		27,987
		7	2006	11,240			11,240	49			49		43,326
		8	2006	13,520			13,520	25			25		48,676
		9	2006	12,760			12,760	60			60		49,628
		10	2006	14,080			14,080	58			58		53,930
		11	2006	10,960			10,960	247			247		62,428
		12	2006	7,720			7,720	897			897		117,214
		1	2007	11,000			11,000	2,920			2,920		333,339
		2	2007	10,920			10,920	2,621			2,621		302,777
		3	2007	9,840			9,840	1,857			1,857		221,698
		4	2007	7,920			7,920	1,239			1,239		152,542
		Total	2007	128,480	-	-	128,480	10,089	-	-	10,089	-	1,460,518

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3e: 2006 & 2007 Monthly Energy Use - Old Warren School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
5	Old Warren School	5	2005	6,960			6,960	836			836		108,441
		6	2005	8,800			8,800	330			330		63,463
		7	2005	12,400			12,400	71			71		49,514
		8	2005	9,360			9,360	61			61		38,125
		9	2005	9,040			9,040	74			74		38,350
		10	2005	6,160			6,160	390			390		60,531
		11	2005	6,560			6,560	1,251			1,251		149,116
		12	2005	7,520			7,520	2,498			2,498		278,713
		1	2006	5,920			5,920	1,788			1,788		201,329
		2	2006	5,120			5,120	1,687			1,687		188,368
		3	2006	8,080			8,080	2,282			2,282		258,744
		4	2006	5,760			5,760	769			769		97,559
		Total	2006	91,680	-	-	91,680	12,037	-	-	12,037	-	1,532,252
		5	2006	6,320			6,320	498			498		72,018
		6	2006	5,360			5,360	53			53		23,663
		7	2006	11,360			11,360	81			81		46,977
		8	2006	9,600			9,600	73			73		40,160
		9	2006	6,560			6,560	69			69		29,379
		10	2006	7,120			7,120	516			516		76,571
		11	2006	6,320			6,320	965			965		119,325
		12	2006	5,200			5,200	1,135			1,135		132,723
		1	2007	8,960			8,960	2,964			2,964		330,834
		2	2007	6,640			6,640	2,731			2,731		299,313
		3	2007	6,160			6,160	1,722			1,722		195,463
		4	2007	6,400			6,400	1,271			1,271		150,596
		Total	2007	86,000	-	-	86,000	12,078	-	-	12,078	-	1,517,019

Notes:
 An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3f: 2006 & 2007 Monthly Energy Use - Public Safety Building and Fire Station													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
6	Public Safety Building and Fire Station	5	2005	35,600			35,600	11	1,138		1,149		237,897
		6	2005	48,800			48,800	13	434		447		211,836
		7	2005	79,040			79,040	11	131		142		284,148
		8	2005	61,280			61,280	13	122		135		222,824
		9	2005	62,480			62,480	13	145		158		229,250
		10	2005	40,880			40,880	11	310		321		172,041
		11	2005	43,200			43,200	29	1,961		1,990		349,029
		12	2005	45,440			45,440	14	3,463		3,477		507,307
		1	2006	46,320			46,320	11	3,298		3,309		493,292
		2	2006	34,320			34,320	10	2,752		2,762		396,925
		3	2006	53,360			53,360	11	3,445		3,456		532,210
		4	2006	38,560			38,560	13	1,174		1,187		251,848
		Total	2006	589,280	-	-	589,280	160	18,373	-	18,533	-	3,888,606
		5	2006	44,640			44,640	10	863		873		240,791
		6	2006	40,080			40,080	11	98		109		147,835
		7	2006	86,800			86,800	13	165		178		314,280
		8	2006	70,080			70,080	10	155		165		255,898
		9	2006	52,800			52,800	13	142		155		195,908
		10	2006	51,360			51,360	11	1,589		1,600		337,372
		11	2006	43,840			43,840	10	2,456		2,466		399,432
		12	2006	35,440			35,440	11	2,509		2,520		376,233
		1	2007	63,600			63,600	14	5,447		5,461		770,266
		2	2007	44,480			44,480	14	4,351		4,365		593,985
		3	2007	39,760			39,760	10	2,832		2,842		423,595
		4	2007	40,320			40,320	11	1,957		1,968		336,971
		Total	2007	613,200	-	-	613,200	138	22,564	-	22,702	-	4,392,564

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3g: 2006 & 2007 Monthly Energy Use - Old Forest Glade Cemetery Building													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
7	Old Forest Glade Cemetery Building	5	2005	172			172	90			90		9,704
		6	2005	154			154	34			34		3,970
		7	2005	207			207	6			6		1,314
		8	2005	135			135	4			4		866
		9	2005	183			183	5			5		1,131
		10	2005	193			193	78			78		8,560
		11	2005	248			248	190			190		20,093
		12	2005	377			377	319			319		33,601
		1	2006	288			288	245			245		25,801
		2	2006	271			271	225			225		23,717
		3	2006	356			356	278			278		29,376
		4	2006	180			180	92			92		9,934
		Total	2006	2,764	-	-	2,764	1,566	-	-	1,566	-	168,069
		5	2006	217			217	71			71		7,933
		6	2006	107			107	4			4		770
		7	2006	219			219	6			6		1,355
		8	2006	185			185	4			4		1,037
		9	2006	135			135	5			5		967
		10	2006	180			180	71			71		7,807
		11	2006	206			206	128			128		13,669
		12	2006	204			204	140			140		14,878
		1	2007	420			420	357			357		37,598
		2	2007	271			271	225			225		23,717
		3	2007	342			342	299			299		31,456
		4	2007	233			233	154			154		16,395
		Total	2007	2,719	-	-	2,719	1,464	-	-	1,464	-	157,583

Notes:
 An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3h: 2006 & 2007 Monthly Energy Use - New Forest Glade Cemetery Building													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
8	New Forest Glade Cemetery Building	5	2005	136			136	134			134		14,038
		6	2005	150			150	67			67		7,299
		7	2005	89			89	12			12		1,519
		8	2005	23			23	-			-		78
		9	2005	79			79	21			21		2,397
		10	2005	125			125	124			124		12,988
		11	2005	184			184	271			271		28,080
		12	2005	376			376	510			510		52,946
		1	2006	309			309	371			371		38,637
		2	2006	270			270	351			351		36,478
		3	2006	350			350	467			467		48,502
		4	2006	97			97	150			150		15,526
		Total	2006	2,188	-	-	2,188	2,478	-	-	2,478	-	258,489
		5	2006	126			126	113			113		11,877
		6	2006	55			55	32			32		3,429
		7	2006	71			71	2			2		445
		8	2006	80			80	12			12		1,489
		9	2006	61			61	42			42		4,463
		10	2006	131			131	100			100		10,577
		11	2006	114			114	132			132		13,761
		12	2006	182			182	195			195		20,375
		1	2007	341			341	485			485		50,294
		2	2007	368			368	492			492		51,096
		3	2007	277			277	307			307		32,045
		4	2007	157			157	243			243		25,152
		Total	2007	1,963	-	-	1,963	2,155	-	-	2,155	-	225,001

Notes:
 An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3i: 2006 & 2007 Monthly Energy Use - Dolbeare School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
9	Dolbeare School	7	2005	64,960			64,960	50			50		226,773
		8	2005	37,120			37,120	44			44		131,148
		9	2005	78,240			78,240	64			64		273,516
		10	2005	53,920			53,920	387			387		223,232
		11	2005	53,280			53,280	1,454			1,454		329,135
		12	2005	59,200			59,200	3,568			3,568		563,488
		1	2006	50,400			50,400	2,578			2,578		433,167
		2	2006	39,360			39,360	2,427			2,427		380,191
		3	2006	65,440			65,440	3,469			3,469		574,756
		4	2006	40,640			40,640	676			676		207,183
		5	2006	54,080			54,080	516			516		236,846
		6	2006	47,360			47,360	50			50		166,705
		Total	2006	644,000	-	-	644,000	15,283	-	-	15,283	-	3,746,140
		7	2006	43,040			43,040	61			61		153,075
		8	2006	33,280			33,280	51			51		118,751
		9	2006	57,600			57,600	66			66		203,275
		10	2006	54,720			54,720	414			414		228,698
		11	2006	50,560			50,560	1,084			1,084		282,370
		12	2006	43,360			43,360	1,668			1,668		316,956
		1	2007	70,240			70,240	4,505			4,505		696,086
		2	2007	52,960			52,960	4,836			4,836		670,639
		3	2007	49,920			49,920	3,161			3,161		490,586
		4	2007	44,480			44,480	2,114			2,114		365,958
		5	2007	58,560			58,560	342			342		234,510
		6	2007	55,360			55,360	80			80		197,048
		Total	2007	614,080	-	-	614,080	18,382	-	-	18,382	-	3,957,952

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3j: 2006 & 2007 Monthly Energy Use - Doyle School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
10	Doyle School	7	2005	3,600			3,600				-	NA	NA
		8	2005	3,300			3,300				-	NA	NA
		9	2005	3,240			3,240				-	NA	NA
		10	2005	4,920			4,920				-	NA	NA
		11	2005	6,420			6,420				-	NA	NA
		12	2005	7,560			7,560				-	NA	NA
		1	2006	5,640			5,640				-	NA	NA
		2	2006	6,480			6,480				-	NA	NA
		3	2006	960			960				-	NA	NA
		4	2006	12,300			12,300				-	NA	NA
		5	2006	11,640			11,640				-	NA	NA
		6	2006	(1,920)			(1,920)				-	NA	NA
	Total	2006	64,140	-	-	64,140	-	-	-	-	-	-	
		7	2006	3,180			3,180				-	NA	NA
		8	2006	3,000			3,000				-	NA	NA
		9	2006	5,400			5,400				-	NA	NA
		10	2006	5,820			5,820				-	NA	NA
		11	2006	6,000			6,000				-	NA	NA
		12	2006	6,660			6,660				-	NA	NA
		1	2007	7,740			7,740				-	NA	NA
		2	2007	8,580			8,580				-	NA	NA
		3	2007	7,560			7,560				-	NA	NA
		4	2007	5,940			5,940				-	NA	NA
		5	2007	5,640			5,640				-	NA	NA
		6	2007	5,460			5,460				-	NA	NA
	Total	2007	70,980	-	-	70,980	-	-	-	-	-	-	

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3k: 2006 & 2007 Monthly Energy Use - Galvin Middle School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1	Rec 2	Rec 3	Electricity Use	Rec 1	Rec 2	Rec 3	Natural Gas Use	Oil Use	Total Energy Use
				kWh	kWh	kWh	kWh	100 CF	100 CF	100 CF	100 CF	Gallons	kBtu
11	Galvin Middle School	7	2005	31,100	22,900		54,000	436	-		436	NA	NA
		8	2005	28,500	21,900		50,400	345	-		345	NA	NA
		9	2005	43,300	21,700		65,000	442	-		442	NA	NA
		10	2005	38,900	45,800		84,700	445	-		445	NA	NA
		11	2005	41,100	34,600		75,700	442	-		442	NA	NA
		12	2005	48,400	39,100		87,500	185	-		185	NA	NA
		1	2006	42,600	34,100		76,700	140	-		140	NA	NA
		2	2006	31,100	26,600		57,700	172	-		172	NA	NA
		3	2006	54,100	42,500		96,600	315	-		315	NA	NA
		4	2006	33,800	27,100		60,900	361	-		361	NA	NA
		5	2006	39,000	33,300		72,300	392	-		392	NA	NA
		6	2006	29,900	24,200		54,100	341	-		341	NA	NA
		Total	2006	461,800	373,800	-	835,600	4,016	-	-	4,016	-	-
		7	2006	28,500	23,600		52,100	467	-		467	NA	NA
		8	2006	22,600	20,900		43,500	416	-		416	NA	NA
		9	2006	33,500	29,400		62,900	439	-		439	NA	NA
		10	2006	42,500	32,400		74,900	423	-		423	NA	NA
		11	2006	40,800	30,300		71,100	62	-		62	NA	NA
		12	2006	37,700	27,000		64,700	1	-		1	NA	NA
		1	2007	58,100	42,000		100,100	18	-		18	NA	NA
		2	2007	44,800	31,400		76,200	469	-		469	NA	NA
		3	2007	47,200	32,300		79,500	475	-		475	NA	NA
		4	2007	39,700	26,700		66,400	494	-		494	NA	NA
		5	2007	46,700	33,300		80,000	577	-		577	NA	NA
		6	2007	38,500	29,400		67,900	685	-		685	NA	NA
		Total	2007	480,600	358,700	-	839,300	4,526	-	-	4,526	-	-

Notes:

An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3I: 2006 & 2007 Monthly Energy Use - Greenwood School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
12	Greenwood School	7	2005	3,780			3,780	-			-	NA	NA
		8	2005	10,560			10,560	-			-	NA	NA
		9	2005	12,300			12,300	(2)			(2)	NA	NA
		10	2005	10,560			10,560	3			3	NA	NA
		11	2005	12,240			12,240	1			1	NA	NA
		12	2005	13,320			13,320	3			3	NA	NA
		1	2006	11,400			11,400	1			1	NA	NA
		2	2006	10,080			10,080	2			2	NA	NA
		3	2006	13,560			13,560	1			1	NA	NA
		4	2006	9,180			9,180	-			-	NA	NA
		5	2006	11,520			11,520	-			-	NA	NA
		6	2006	8,040			8,040	-			-	NA	NA
			Total	2006	126,540	-	-	126,540	9	-	-	9	-
		7	2006	8,280			8,280	1			1	NA	NA
		8	2006	6,540			6,540	-			-	NA	NA
		9	2006	10,620			10,620	1			1	NA	NA
		10	2006	11,520			11,520	1			1	NA	NA
		11	2006	12,360			12,360	1			1	NA	NA
		12	2006	9,900			9,900	1			1	NA	NA
		1	2007	15,900			15,900	4			4	NA	NA
		2	2007	11,340			11,340	1			1	NA	NA
		3	2007	11,880			11,880	2			2	NA	NA
		4	2007	10,020			10,020	-			-	NA	NA
		5	2007	11,700			11,700	9			9	NA	NA
		6	2007	10,320			10,320	(8)			(8)	NA	NA
	Total	2007	130,380	-	-	130,380	13	-	-	13	-	-	

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3m: 2006 & 2007 Monthly Energy Use - Wakefield High School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1	Rec 2	Rec 3	Electricity Use	Rec 1	Rec 2	Rec 3	Natural Gas Use	Oil Use	Total Energy Use
				kWh	kWh	kWh	kWh	100 CF	100 CF	100 CF	100 CF	Gallons	kBtu
13	Wakefield High School	7	2005	45,000	127,200		172,200	80	23	217	320	NA	NA
		8	2005	39,600	92,000		131,600	55	16	169	240	NA	NA
		9	2005	64,500	144,800		209,300	96	40	266	402	NA	NA
		10	2005	54,600	88,800		143,400	106	63	260	429	NA	NA
		11	2005	53,100	97,600		150,700	136	41	243	420	NA	NA
		12	2005	64,800	107,200		172,000	29	-	47	76	NA	NA
		1	2006	54,300	84,000		138,300	27	-	3	30	NA	NA
		2	2006	42,600	71,200		113,800	22	-	150	172	NA	NA
		3	2006	70,200	116,800		187,000	38	6,823	117	6,978	NA	NA
		4	2006	43,800	78,400		122,200	79	74	163	316	NA	NA
		5	2006	54,000	98,400		152,400	130	78	223	431	NA	NA
		6	2006	42,900	84,000		126,900	92	57	198	347	NA	NA
		Total	2006	629,400	1,190,400	-	1,819,800	890	7,215	2,056	10,161	-	-
		7	2006	55,200	106,400		161,600	52	43	210	305	NA	NA
		8	2006	50,700	64,000		114,700	51	43	171	265	NA	NA
		9	2006	62,100	87,200		149,300	64	50	194	308	NA	NA
		10	2006	59,400	96,000		155,400	107	63	168	338	NA	NA
		11	2006	54,000	92,800		146,800	119	70	93	282	NA	NA
		12	2006	47,400	88,800		136,200	102	56	41	199	NA	NA
		1	2007	83,400	113,600		197,000	157	82	86	325	NA	NA
		2	2007	58,200	93,600		151,800	118	64	50	232	NA	NA
		3	2007	61,500	92,000		153,500	116	73	106	295	NA	NA
		4	2007	53,400	81,600		135,000	94	52	38	184	NA	NA
		5	2007	62,400	94,400		156,800	142	93	301	536	NA	NA
		6	2007	56,100	96,800		152,900	99	71	239	409	NA	NA
		Total	2007	703,800	1,107,200	-	1,811,000	1,221	760	1,697	3,678	-	-

Notes:

An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3n: 2006 & 2007 Monthly Energy Use - Walton School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
14	Walton School	7	2005	3,840			3,840	-	-		-	NA	NA
		8	2005	5,160			5,160	-	-		-	NA	NA
		9	2005	5,520			5,520	-	-		-	NA	NA
		10	2005	5,280			5,280	-	17		17	NA	NA
		11	2005	5,580			5,580	2	87		89	NA	NA
		12	2005	6,660			6,660	4	214		218	NA	NA
		1	2006	5,760			5,760	5	159		164	NA	NA
		2	2006	5,100			5,100	4	140		144	NA	NA
		3	2006	6,600			6,600	-	200		200	NA	NA
		4	2006	4,320			4,320	1	50		51	NA	NA
		5	2006	5,400			5,400	2	21		23	NA	NA
		6	2006	4,380			4,380	-	-		-	NA	NA
		Total	2006	63,600	-	-	63,600	18	888	-	906	-	-
		7	2006	3,840			3,840	-	-		-	NA	NA
		8	2006	3,060			3,060	-	-		-	NA	NA
		9	2006	4,980			4,980	-	-		-	NA	NA
		10	2006	5,640			5,640	2	18		20	NA	NA
		11	2006	5,580			5,580	2	71		73	NA	NA
		12	2006	4,980			4,980	2	81		83	NA	NA
		1	2007	7,740			7,740	2	239		241	NA	NA
		2	2007	6,000			6,000	3	250		253	NA	NA
		3	2007	5,940			5,940	1	142		143	NA	NA
		4	2007	4,800			4,800	2	96		98	NA	NA
		5	2007	6,000			6,000	-	9		9	NA	NA
		6	2007	5,280			5,280	-	-		-	NA	NA
		Total	2007	63,840	-	-	63,840	14	906	-	920	-	-

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3a: 2006 & 2007 Monthly Energy Use - Yeuell School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
15	Yeuell School	7	2005	6,200			6,200				-	NA	NA
		8	2005	4,600			4,600				-	NA	NA
		9	2005	6,400			6,400				-	NA	NA
		10	2005	6,440			6,440				-	NA	NA
		11	2005	6,560			6,560				-	NA	NA
		12	2005	7,000			7,000				-	NA	NA
		1	2006	7,360			7,360				-	NA	NA
		2	2006	6,920			6,920				-	NA	NA
		3	2006	9,120			9,120				-	NA	NA
		4	2006	4,040			4,040				-	NA	NA
		5	2006	7,280			7,280				-	NA	NA
		6	2006	6,000			6,000				-	NA	NA
	Total	2006	77,920	-	-	77,920	-	-	-	-	-	-	
		7	2006	6,080			6,080				-	NA	NA
		8	2006	4,440			4,440				-	NA	NA
		9	2006	6,920			6,920				-	NA	NA
		10	2006	6,520			6,520				-	NA	NA
		11	2006	5,840			5,840				-	NA	NA
		12	2006	6,400			6,400				-	NA	NA
		1	2007	7,520			7,520				-	NA	NA
		2	2007	7,480			7,480				-	NA	NA
		3	2007	6,800			6,800				-	NA	NA
		4	2007	5,760			5,760				-	NA	NA
		5	2007	6,040			6,040				-	NA	NA
		6	2007	6,360			6,360				-	NA	NA
	Total	2007	76,160	-	-	76,160	-	-	-	-	-	-	

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

NA indicates that the data was not readily available on a monthly basis for the building.

Attachment 3

Attachment 3p: 2006 & 2007 Monthly Energy Use - Woodville School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
16	Woodville School	7	2005	53,920			53,920	165			165		200,743
		8	2005	37,280			37,280	119			119		139,291
		9	2005	51,360			51,360	292			292		204,871
		10	2005	38,080			38,080	582			582		188,924
		11	2005	41,600			41,600	1,767			1,767		320,978
		12	2005	44,320			44,320	3,260			3,260		481,502
		1	2006	40,320			40,320	2,499			2,499		390,761
		2	2006	31,200			31,200	2,146			2,146		323,875
		3	2006	53,920			53,920	3,091			3,091		497,147
		4	2006	34,400			34,400	1,067			1,067		225,494
		5	2006	44,800			44,800	635			635		217,228
		6	2006	38,240			38,240	197			197		150,469
		Total	2006	509,440	-	-	509,440	15,820	-	-	15,820	-	3,341,285
		7	2006	49,760			49,760	195			195		189,584
		8	2006	31,680			31,680	154			154		123,724
		9	2006	46,080			46,080	259			259		183,508
		10	2006	44,160			44,160	735			735		225,174
		11	2006	40,640			40,640	1,321			1,321		272,522
		12	2006	36,800			36,800	1,743			1,743		302,164
		1	2007	59,520			59,520	4,717			4,717		680,974
		2	2007	42,880			42,880	4,470			4,470		599,160
		3	2007	41,280			41,280	2,566			2,566		400,824
		4	2007	36,320			36,320	1,793			1,793		305,591
		5	2007	47,200			47,200	497			497		211,440
		6	2007	52,800			52,800	211			211		201,581
		Total	2007	529,120	-	-	529,120	18,661	-	-	18,661	-	3,696,246

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3q: 2006 & 2007 Monthly Energy Use - Lincoln School													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
17	Lincoln School	5	2005	11,040			11,040	1,262			1,262		165,520
		6	2005	13,680			13,680	496			496		96,935
		7	2005	19,920			19,920	231			231		91,387
		8	2005	17,160			17,160	155			155		74,269
		9	2005	16,200			16,200	294			294		85,073
		10	2005	12,720			12,720	1,064			1,064		151,197
		11	2005	14,040			14,040	1,844			1,844		234,716
		12	2005	14,880			14,880	2,895			2,895		344,049
		1	2006	14,640			14,640	2,733			2,733		326,819
		2	2006	10,560			10,560	2,147			2,147		253,532
		3	2006	16,440			16,440	3,112			3,112		371,355
		4	2006	11,400			11,400	1,292			1,292		169,788
		Total	2006	172,680	-	-	172,680	17,525	-	-	17,525	-	2,364,639
		5	2006	12,480			12,480	960			960		139,842
		6	2006	9,720			9,720	335			335		67,110
		7	2006	21,720			21,720	210			210		95,403
		8	2006	17,760			17,760	250			250		85,940
		9	2006	12,480			12,480	394			394		82,506
		10	2006	13,560			13,560	1,295			1,295		177,464
		11	2006	12,600			12,600	1,454			1,454		190,294
		12	2006	10,080			10,080	1,528			1,528		189,189
		1	2007	18,000			18,000	3,772			3,772		443,538
		2	2007	14,160			14,160	3,474			3,474		400,244
		3	2007	10,560			10,560	2,407			2,407		279,870
		4	2007	11,400			11,400	1,910			1,910		232,391
		Total	2007	164,520	-	-	164,520	17,989	-	-	17,989	-	2,383,792

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3r: 2006 & 2007 Monthly Energy Use - Lucius Beebe Memorial Library													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1 kWh	Rec 2 kWh	Rec 3 kWh	Electricity Use kWh	Rec 1 100 CF	Rec 2 100 CF	Rec 3 100 CF	Natural Gas Use 100 CF	Oil Use Gallons	Total Energy Use kBtu
18	Lucius Beebe Memorial Library	7	2005	48,600			48,600	117			117		177,724
		8	2005	40,800			40,800	51			51		144,417
		9	2005	39,720			39,720	79			79		143,567
		10	2005	29,520			29,520	146			146		115,542
		11	2005	31,680			31,680	827			827		191,899
		12	2005	32,520			32,520	1,865			1,865		299,915
		1	2005	30,600			30,600	1,822			1,822		289,006
		2	2005	24,480			24,480	1,461			1,461		231,550
		3	2006	38,880			38,880	1,997			1,997		334,994
		4	2006	28,440			28,440	741			741		172,129
		5	2006	31,080			31,080	365			365		143,051
		6	2006	28,080			28,080	59			59		101,814
		Total	2006	404,400	-	-	404,400	9,530	-	-	9,530	-	2,345,606
		7	2006	53,400			53,400	31			31		185,395
		8	2006	45,120			45,120	37			37		157,743
		9	2006	34,080			34,080	32			32		119,557
		10	2006	35,040			35,040	193			193		139,142
		11	2006	29,400			29,400	710			710		172,265
		12	2006	24,120			24,120	879			879		171,364
		1	2006	40,440			40,440	2,211			2,211		361,996
		2	2006	30,720			30,720	2,014			2,014		308,866
		3	2007	27,840			27,840	1,166			1,166		213,134
		4	2007	26,880			26,880	828			828		175,618
		5	2007	32,040			32,040	270			270		136,704
		6	2007	33,720			33,720	61			61		121,266
		Total	2007	412,800	-	-	412,800	8,432	-	-	8,432	-	2,263,048

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 3

Attachment 3s: 2006 & 2007 Monthly Energy Use - American Civic Center Association													
Bldg. Ref. No.	Building Name	Month	Year	Rec 1	Rec 2	Rec 3	Electricity Use	Rec 1	Rec 2	Rec 3	Natural Gas Use	Oil Use	Total Energy Use
				kWh	kWh	kWh	kWh	100 CF	100 CF	100 CF	100 CF	Gallons	kBtu
19	American Civic Center Association	5	2005	3,600			3,600	11			11	-	13,401
		6	2005	4,320			4,320	13			13	-	16,061
		7	2005	4,800			4,800	11			11	-	17,497
		8	2005	5,040			5,040	8			8	-	18,012
		9	2005	5,160			5,160	12			12	-	18,827
		10	2005	4,800			4,800	15			15	-	17,902
		11	2005	5,520			5,520	16			16	-	20,461
		12	2005	7,680			7,680	17			17	2,219	334,298
		1	2006	6,000			6,000	16			16	2,279	336,748
		2	2006	5,280			5,280	12			12	1,642	245,961
		3	2006	7,920			7,920	29			29	682	124,149
		4	2006	4,080			4,080	20			20	542	90,785
		Total	2006	64,200	-	-	64,200	180	-	-	180	7,363	1,254,101
		5	2006	3,840			3,840	16			16	-	14,727
		6	2006	2,880			2,880	10			10	-	10,842
		7	2006	5,760			5,760	17			17	-	21,381
		8	2006	5,640			5,640	15			15	-	20,769
		9	2006	4,200			4,200	11			11	-	15,449
		10	2006	5,040			5,040	17			17	140	38,285
		11	2006	5,760			5,760	14			14	374	72,738
		12	2006	4,200			4,200	4			4	1,607	236,617
		1	2007	8,400			8,400	13			13	1,642	256,669
		2	2007	6,960			6,960	10			10	1,889	285,574
		3	2007	5,400			5,400	13			13	1,798	267,987
		4	2007	4,560			4,560	9			9	-	16,475
		Total	2007	62,640	-	-	62,640	149	-	-	149	7,449	1,257,512

Notes:
 An electronic version of this data is available at <http://wakefielddecc.wikidot.com>.
 Blanks indicate that there is no applicable data for the building.

Attachment 4

Attachment 4a: 2006 Annual Water Use		
Bldg. Ref. No.	Building Name	Water Use
		CF
1	William J. Lee Memorial Town Hall	NA
2	Greenwood Fire Station	NA
3	Old Public Works Building	NA
4	New Public Works Building	NA
5	Old Warren School	NA
6	Public Safety Building and Fire Station	NA
7	Old Forest Glade Cemetery Building	NA
8	New Forest Glade Cemetery Building	NA
9	Dolbeare School	47,000
10	Doyle School	28,000
11	Galvin Middle School	93,100
12	Greenwood School	75,800
13	Wakefield High School	198,600
14	Walton School	10,800
15	Yeuell School	21,000
16	Woodville School	46,600
17	Lincoln School	88,000
18	Lucius Beebe Memorial Library	22,300
19	American Civic Center Association	10,800

Notes:

- An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.
- Monthly and annual consumption data is not accurate for the Town Hall and Public Safety Building because meter readings have not been made for some time. As a result, the usage has not been included.
- A lack of meters in the Town Hall, Greenwood Fire Station, Old and New Public Works Buildings, Old Warren School, Public Safety Building and Fire Station, and Old and New Forest Glade Cemetery Buildings prevented data collection.
 - Quarterly meter readings for the Town Hall, Old Public Works Building and Public Safety Building and Fire Station are simply not available.
 - Many of the other buildings had meters installed as of January 2008 and thus have one quarter of data available. In this situation, we have extrapolated annual use for 2007 from that quarter.

Attachment 4

Attachment 4b: 2007 Annual Water Use		
Bldg. Ref. No.	Building Name	Water Use
		CF
1	William J. Lee Memorial Town Hall	NA
2	Greenwood Fire Station	8,400
3	Old Public Works Building	NA
4	New Public Works Building	3,600
5	Old Warren School	5,200
6	Public Safety Building and Fire Station	NA
7	Old Forest Glade Cemetery Building	800
8	New Forest Glade Cemetery Building	400
9	Dolbeare School	50,700
10	Doyle School	26,000
11	Galvin Middle School	869,300
12	Greenwood School	61,800
13	Wakefield High School	(1,718,900)
14	Walton School	700
15	Yeuell School	19,000
16	Woodville School	46,000
17	Lincoln School	76,000
18	Lucius Beebe Memorial Library	30,800
19	American Civic Center Association	9,800

Notes:

- An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.
- Monthly and annual consumption data is not accurate for the Town Hall and Public Safety Building because meter readings have not been made for some time. As a result, the usage has not been included.
- Data inconsistencies are apparent in the data for the Galvin Middle School and the Wakefield High School.
- A lack of meters in the Town Hall, Greenwood Fire Station, Old and New Public Works Buildings, Old Warren School, Public Safety Building and Fire Station, and Old and New Forest Glade Cemetery Buildings prevented data collection.
 - Quarterly meter readings for the Town Hall, Old Public Works Building and Public Safety Building and Fire Station are simply not available.
 - Many of the other buildings had meters installed as of January 2008 and thus have one quarter of data available. In this situation, we have extrapolated annual use for 2007 from that quarter.

Attachment 5

Attachment 5a: 2006 & 2007 Quarterly Water Use - William J. Lee Memorial Town Hall								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
1	William J. Lee Memorial Town Hall	3	2005					NA
		4	2005					NA
		1	2006					NA
		2	2006					NA
		Total	2006					NA
		3	2006					NA
		4	2006					NA
		1	2007					NA
		2	2007					NA
		Total	2007					NA

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Quarterly and annual consumption data is not accurate for the Town Hall because meter readings have not been made for some time.

As a result, the usage has not been included.

Blanks indicate that there is no applicable data for the building.

Attachment 5b: 2006& 2007 Quarterly Water Use - Greenwood Fire Station								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
2	Greenwood Fire Station	1	2008	2,100				2,100

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Meters were installed as of January 2008 and thus only one quarter of data is available.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5c: 2006 & 2007 Quarterly Water Use - Old Public Works Building								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
3	Old Public Works Building	3	2005					NA
		4	2005					NA
		1	2006					NA
		2	2006					NA
		Total	2006					NA
		3	2006					NA
		4	2006					NA
		1	2007					NA
		2	2007					NA
		Total	2007					NA

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Quarterly and annual consumption data is not accurate for the Old Public Works Building because meter readings have not been made for some time.

As a result, the usage has not been included.

Blanks indicate that there is no applicable data for the building.

Attachment 5d: 2006 & 2007 Quarterly Water Use - New Public Works Building								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
4	New Public Works Building	1	2008	900				900

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Meters were installed as of January 2008 and thus only one quarter of data is available.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5e: 2006 & 2007 Quarterly Water Use - Old Warren School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
5	Old Warren School	1	2008	1,300				1,300

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Meters were installed as of January 2008 and thus only one quarter of data is available.

Blanks indicate that there is no applicable data for the building.

Attachment 5f: 2006 & 2007 Quarterly Water Use - Public Safety Building and Fire Station								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
6	Public Safety Building and Fire Station	3	2005					NA
		4	2005					NA
		1	2006					NA
		2	2006					NA
		Total	2006					NA
		3	2006					NA
		4	2006					NA
		1	2007					NA
		2	2007					NA
		Total	2007					NA

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Quarterly and annual consumption data is not accurate for the Public Safety Building and Fire Station because meter readings have not been made for some time.

As a result, the usage has not been included.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5g: 2006 & 2007 Quarterly Water Use - Old Forest Glade Cemetery Building								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
7	Old Forest Glade Cemetery Building	1	2008	200				200

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Meters were installed as of January 2008 and thus only one quarter of data is available.

Blanks indicate that there is no applicable data for the building.

Attachment 5h: 2006 & 2007 Quarterly Water Use - New Forest Glade Cemetery Building								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
8	New Forest Glade Cemetery Building	1	2008	100				100

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Meters were installed as of January 2008 and thus only one quarter of data is available.

Blanks indicate that there is no applicable data for the building.

Attachment 5i: 2006 & 2007 Quarterly Water Use - Dolbeare School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
9	Dolbeare School	3	2005	4,400	2,000			6,400
		4	2005	10,800	4,000			14,800
		1	2006	7,600	3,000			10,600
		2	2006	10,200	5,000			15,200
		Total	2006	33,000	14,000			47,000
		3	2006	3,100	1,000			4,100
		4	2006	11,200	4,000			15,200
		1	2007	10,200	3,000			13,200
		2	2007	14,200	4,000			18,200
		Total	2007	38,700	12,000			50,700

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5j: 2006 & 2007 Quarterly Water Use - Doyle School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
10	Doyle School	3	2005	7,000				7,000
		4	2005	6,000				6,000
		1	2006	6,000				6,000
		2	2006	9,000				9,000
		Total	2006	28,000				28,000
		3	2006	7,000				7,000
		4	2006	6,000				6,000
		1	2007	6,000				6,000
		2	2007	7,000				7,000
		Total	2007	26,000				26,000

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5k: 2006 & 2007 Quarterly Water Use - Galvin Middle School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
11	Galvin Middle School	3	2005	39,200	4,600			43,800
		4	2005	23,600	4,700			28,300
		1	2006	3,400	3,300			6,700
		2	2006	5,300	9,000			14,300
		Total	2006	71,500	21,600			93,100
		3	2006	200	95,000			95,200
		4	2006	800	275,000			275,800
		1	2007	600	234,000			234,600
		2	2007	700	263,000			263,700
		Total	2007	2,300	867,000			869,300

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Data inconsistencies are apparent in the data.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5l: 2006 & 2007 Quarterly Water Use - Greenwood School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
12	Greenwood School	3	2005	3,200	3,300			6,500
		4	2005	5,600	7,100			12,700
		1	2006	6,000	45,000			51,000
		2	2006	5,600	-			5,600
		Total	2006	20,400	55,400			75,800
		3	2006	2,000	5,000			7,000
		4	2006	21,200	5,000			26,200
		1	2007	7,800	5,000			12,800
		2	2007	10,800	5,000			15,800
		Total	2007	41,800	20,000			61,800

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5m: 2006 & 2007 Quarterly Water Use - Wakefield High School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
13	Wakefield High School	3	2005	35,200	15,000	4,000	12,000	66,200
		4	2005	23,200	1,000	6,000	22,300	52,500
		1	2006	14,900	2,000	6,000	15,900	38,800
		2	2006	16,500	3,000	5,000	16,600	41,100
		Total	2006	89,800	21,000	21,000	66,800	198,600
		3	2006	11,400	9,000	3,000	8,900	32,300
		4	2006	-	-	6,000	22,200	28,200
		1	2007	(952,100)	3,000	(888,000)	17,800	(1,819,300)
		2	2007	18,600	2,000	4,000	15,300	39,900
		Total	2007	(922,100)	14,000	(875,000)	64,200	(1,718,900)

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Data inconsistencies are apparent in the data.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5n: 2006 & 2007 Quarterly Water Use - Walton School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
14	Walton School	3	2005	3,100				3,100
		4	2005	3,100				3,100
		1	2006	4,300				4,300
		2	2006	300				300
		Total	2006	10,800				10,800
		3	2006	-				-
		4	2006	300				300
		1	2007	200				200
		2	2007	200				200
		Total	2007	700				700

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5o: 2006 & 2007 Quarterly Water Use - Yeuell School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
15	Yeuell School	3	2005	6,000				6,000
		4	2005	6,000				6,000
		1	2006	4,000				4,000
		2	2006	5,000				5,000
		Total	2006	21,000				21,000
		3	2006	6,000				6,000
		4	2006	4,000				4,000
		1	2007	5,000				5,000
		2	2007	4,000				4,000
		Total	2007	19,000				19,000

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5p: 2006 & 2007 Quarterly Water Use - Woodville School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
16	Woodville School	3	2005	6,600				6,600
		4	2005	14,000				14,000
		1	2006	11,500				11,500
		2	2006	14,500				14,500
		Total	2006	46,600				46,600
		3	2006	5,200				5,200
		4	2006	15,100				15,100
		1	2007	10,800				10,800
		2	2007	14,900				14,900
		Total	2007	46,000				46,000

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5q: 2006 & 2007 Quarterly Water Use - Lincoln School								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
17	Lincoln School	3	2005	21,000				21,000
		4	2005	21,000				21,000
		1	2006	20,000				20,000
		2	2006	26,000				26,000
		Total	2006	88,000				88,000
		3	2006	19,000				19,000
		4	2006	21,000				21,000
		1	2007	17,000				17,000
		2	2007	19,000				19,000
		Total	2007	76,000				76,000

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5

Attachment 5r: 2006 & 2007 Quarterly Water Use - Lucius Beebe Memorial Library								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
18	Lucius Beebe Memorial Library	3	2005	5,500				5,500
		4	2005	5,900				5,900
		1	2006	5,100				5,100
		2	2006	5,800				5,800
		Total	2006	22,300				22,300
		3	2006	10,000				10,000
		4	2006	8,000				8,000
		1	2007	5,000				5,000
		2	2007	7,800				7,800
		Total	2007	30,800				30,800

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.

Attachment 5s: 2006 & 2007 Quarterly Water Use - American Civic Center Association								
Bldg. Ref. No.	Building Name	Quarter	Year	Meter 1	Meter 2	Meter 3	Meter 4	Water Use
				CF	CF	CF	CF	CF
19	American Civic Center Association	3	2005	3,800				3,800
		4	2005	2,400				2,400
		1	2006	2,400				2,400
		2	2006	2,200				2,200
		Total	2006	10,800				10,800
		3	2006	1,500				1,500
		4	2006	2,400				2,400
		1	2007	2,300				2,300
		2	2007	3,600				3,600
		Total	2007	9,800				9,800

Notes:

An electronic version of this data is available at <http://wakefieldecc.wikidot.com>.

Blanks indicate that there is no applicable data for the building.